

Information Sheet

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.	.1.	Prod	luct	ide	ntifier
----	-----	------	------	-----	---------

Code: 35300 Series

Product name TUBE-LUBE 346 (GEL)

Canada WHIMIS Class: NC

Date Reviewed May 13, 2019

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Used to install and remove electric and telephone cables for long stretches. Its use allow to reduce the

friction between cable and pipe and duct. Water base gel product.

1.3. Details of the supplier of the safety data sheet

Name DCD Design & Manufacturing

Full address 6620 McMillan Way
District and Country BC, Canada
V6W 1J7

Tel. 604-232-4445 Fax 604-232-4446

e-mail address of the competent person

responsible for the Safety Data Sheet sales@dcddesign.com

1.4. Emergency telephone number

For urgent inquiries refer to 604-232-4445

SECTION 2. Hazards identification.

2.1. Classification of the substance or mixture.

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements).

Hazard classification and indication:

2.2.	Label	elements.
------	-------	-----------

Hazard pictograms: --

Signal words: --

Hazard statements:

--

Precautionary statements:

--

2.3. Other hazards.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

6620 McMillan Way, Richmond, BC. Canada V6W 1J7 Tel: 1-888-SWIVELS or (604) 232-4445 Fax: (604) 232-4446

Form: FGA-00 Rev. 00 Date: 27/03/02



SECTION 3. Composition/information on ingredients.

3.1. Substances.

Information not relevant.

3.2. Mixtures.

SECTION 4. First aid measures.

4.1. Description of first aid measures.

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed.

For symptoms and effects caused by the contained substances, see chap. 11.

4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

SECTION 5. Firefighting measures.

5.1. Extinguishing media.

SUITABLE EXTINGUISHING EQUIPMENT
Choose the most appropriate extinguishing equipment for the specific case.
UNSUITABLE EXTINGUISHING EQUIPMENT
None in particular.

5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE The product is neither flammable nor combustible.

5.3. Advice for firefighters.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures.

6.1. Personal precautions, protective equipment and emergency procedures.

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6620 McMillan Way, Richmond, BC. Canada V6W 1J7 Tel: 1-888-SWIVELS or (604) 232-4445 Fax: (604) 232-4446

Form: FGA-00 Rev. 00 Date: 27/03/02



6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up.

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Check incompatibility for container material in section 7. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage.

7.1. Precautions for safe handling.

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities.

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s).

Information not available.

SECTION 8. Exposure controls/personal protection.

8.1. Control parameters.

Information not available.

8.2. Exposure controls.

Comply with the safety measures usually applied when handling chemical substances.

HAND PROTECTION

None required.

SKIN PROTECTION

None required.

EYE PROTECTION

None required.

RESPIRATORY PROTECTION

None required

ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

6620 McMillan Way, Richmond, BC. Canada V6W 1J7 Tel: 1-888-SWIVELS or (604) 232-4445 Fax: (604) 232-4446

Form: FGA-00 Rev. 00 Date: 27/03/02



ENGINEERING SOLUTIONS CABLE INSTALLATION TOOLS DIRECTIONAL DRILLING ACCESSORIES

SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chemical properties.

Appearance Colour blue Odour no odour Odour threshold. Not available. pH. 7,4 Melting point / freezing point. < -5 °C. >100°C. Initial boiling point. Not available. Boiling range. Flash point. Not available Not available. **Evaporation Rate** Flammability of solids and gases Not inflammable Lower inflammability limit. Not available. Upper inflammability limit. Not available. Lower explosive limit. Not available. Upper explosive limit. Not available. Vapour pressure. Not available. Vapour density Not available. Relative density. 1,0 Kg/lt soluble in water Solubility Partition coefficient: n-octanol/water Not available. Auto-ignition temperature. Not available. Not available. Decomposition temperature. Viscosity about 40.000 cps Explosive properties not applicable Oxidising properties

9.2. Other information.

Information not available.

SECTION 10. Stability and reactivity.

10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

not applicable

10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid.

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials.

Information not available.

10.6. Hazardous decomposition products.

6620 McMillan Way, Richmond, BC. Canada V6W 1J7 Tel: 1-888-SWIVELS or (604) 232-4445 Fax: (604) 232-4446

Form: FGA-00 Rev. 00 Date: 27/03/02



Information not available.

SECTION 11. Toxicological information.

According to currently available data, this product has not yet produced health damages. Anyway, it must be handled according to good industrial practices.

11.1. Information on toxicological effects.

Information not available.

SECTION 12. Ecological information.

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or sewers or contaminate soil or vegetation.

12.1. Toxicity.

Information not available.

12.2. Persistence and degradability.

The product is biodegradable

12.3. Bioaccumulative potential.

Information not available.

12.4. Mobility in soil.

Information not available.

12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects.

Information not available.

SECTION 13. Disposal considerations.

13.1. Waste treatment methods.

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information.

14.1. UN number.

Not applicable.

6620 McMillan Way, Richmond, BC. Canada V6W 1J7 Tel: 1-888-SWIVELS or (604) 232-4445 Fax: (604) 232-4446

Form: FGA-00 Rev. 00 Date: 27/03/02



CABLE INSTALLATION TOOLS	ENGINEERING SOLUTIONS	DIRECTIONAL DRILLING ACCESSORIES
4.2. UN proper shipping name.		
Not applicable.		
4.3. Transport hazard class(es).		
Not applicable.		
4.4. Packing group.		
Not applicable.		
4.5. Environmental hazards.		
Not applicable.		
4.6. Special precautions for user.		
Not applicable.		
4.7. Transport in bulk according to A	nnex II of MARPOL73/78 and the IBC Code.	
nformation not relevant.		
SECTION 15. Regulatory in	nformation.	
15.1. Safety, health and environmen	ntal regulations/legislation specific for the substance or mixture	
Seveso category.	None.	
Restrictions relating to the product or con	ntained substances pursuant to Annex XVII to EC Regulation 1907/20	<u>006.</u>
None.		
Substances in Candidate List (Art. 59 RE	ACH).	
None.		
Substances subject to authorisarion (Ann	ex XIV REACH).	
None.		
Substances subject to exportation reporti	ng pursuant to (EC) Reg. 649/2012:	
None.		
Substances subject to the Rotterdam Cor	nvention:	
None.		
Substances subject to the Stockholm Cor	nvention:	
None.		

6620 McMillan Way, Richmond, BC. Canada V6W 1J7 Tel: 1-888-SWIVELS or (604) 232-4445 Fax: (604) 232-4446

Form: FGA-00 Rev. 00 Date: 27/03/02



Healthcare controls.

Information not available.

15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

SECTION 16. Other information.

I EGEND

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EU) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EU) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 453/2010 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

6620 McMillan Way, Richmond, BC. Canada V6W 1J7 Tel: 1-888-SWIVELS or (604) 232-4445 Fax: (604) 232-4446

Form: FGA-00 Rev. 00 Date: 27/03/02